

NOTE: IN SOME CASES THE MULCH IS ONLY A SPECIFIED DIAMETER - SEE PLANS AND SPECIFICATION FOR FURTHER COORDINATION OF MULCHING

TYPICAL BARE ROOT DECIDUOUS SHRUB

SHREDDED HARDWOOD BARK MULCH

3-4" MUDDLE RING

ROOT SYSTEM

PLANTING SOIL


CONSTRUCTION SOIL

VARIABLES

SHRUB PIT TO COMPLY WITH DEPTHS AND WIDTHS FOUND IN THE SPECS

VARIABLES

VARIABLES



# BARE ROOT PLANTING DETAIL

N.T.S.

NOTE: IN SOME CASES THE MULCH IS ONLY A SPECIFIED DIAMETER - SEE PLANS AND SPECIFICATIONS FOR FURTHER COORDINATION OF MULCHING

TYPICAL CONTAINER CONIFEROUS SHRUB


SHREDDED HARDWOOD BARK MULCH

3-4" MUDDLE RING

ROOT SYSTEM

PLANTING SOIL

CONSTRUCTION SOIL



SHRUB PIT TO COMPLY WITH DEPTHS AND WIDTHS FOUND IN THE SPECS

VARIES

12" +/-

VARIES

# CONTAINER CONIFEROUS SHRUB DETAIL

N.T.S.

NOTE: IN SOME CASES THE MULCH IS ONLY A SPECIFIED DIAMETER - SEE PLANS AND SPECIFICATION FOR FURTHER COORDINATION OF MULCHING

NOTE: PRUNE SHRUB AS RECOMMENDED BY GROWER ONLY AFTER THE PLANT HAS BEEN WATERED IN TO THE PLANTING SOIL

TYPICAL CONTAINER (POTTED) DECIDUOUS SHRUB


SHREDDED HARDWOOD BARK MULCH

3-4" MIDDLE RING

PLANT BALL

PLANTING SOIL

CONSTRUCTION SOIL



SHRUB PIT TO COMPILE WITH DEPTHS AND WIDTHS FOUND IN THE SPECS

## CONTANER SHRUB PLANTING DETAIL

N.T.S.

NOTE: NONE OF THE b&b TREES ARE TO BE STAKED UNLESS INDICATED

TYPICAL B&B TREE

NOTE: ALL TREES SHOULD BE PRUNED ONLY AFTER INSTALLATION AND WATERING—IN THE TREE — PRUNE TO GROWERS SPECIFICATIONS

NOTE: ALL TREES SHALL COMPLY WITH THE AMERICAN STANDARDS FOR NURSERY STOCK — INCLUDING TREE PIT DEPTH AND WIDTH

PLASTIC SPIRAL TREE PROTECTION

SHREDDED HARDWOOD BARK MULCH

3-4" MUDDLE RING

TREE BALL


PLANTING SOIL

CONSTRUCTION SOIL

NOTE: IN SOME CASES THE MULCH IS ONLY A SPECIFIED DIAMETER — SEE PLANS AND SPECIFICATION FOR FURTHER COORDINATION OF MULCHING

VARIES W/THE TYPE OF TREE SPECIFIED

VARIES



# BALLED & BURLAPPED DECIDUOUS TREE DETAIL

N.T.S.

NOTE: ALL TREES OVER 1-1/4" ARE TO BE STAKED (2 PER TREE) AS SPECIFIED, UNDER 1-1/4" CA. NOT STAKED

NOTE: IN SOME CASES THE MULCH IS ONLY A SPECIFIED DIAMETER - SEE PLANS AND SPECIFICATION FOR FURTHER COORDINATION OF MULCHING

TYP. BARE ROOT TREE

MANUFACTURED CLOTH TREE ANCHORS (NOT HOSE)

2" X 2" PRESSURE-TREATED TREE STAKES (3' INTO GROUND)

PLASTIC SPIRAL TREE PROTECTION


SHREDDED HARDWOOD BARK MULCH

3-4" MUDDLE RING

ROOT SYSTEM

PLANTING SOIL

CONSTRUCTION SOIL



HEIGHT VARIES WITH EACH SPECIES

TREE PIT TO COMPILE WITH DEPTHS AND WIDTHS FOUND IN THE SPECS

3'-0" MIN.

BARE ROOT DECIDUOUS TREE PLANTING DETAIL  
N.T.S.

NOTE: NONE OF THE CONTAINER TREES ARE TO BE STAKED UNLESS INDICATED

NOTE: IN SOME CASES THE MULCH IS ONLY A SPECIFIED DIAMETER - SEE PLANS AND SPECIFICATION FOR FURTHER COORDINATION OF MULCHING

TYPICAL CONTAINER TREE

PLASTIC SPIRAL TREE PROTECTION


SHREDDED HARDWOOD BARK MULCH

3-4" MUDDLE RING

CONTAINER ROOTS

PLANTING SOIL

CONSTRUCTION SOIL



VARIES WITH EACH TREE SPECIES

VARIES

VARIES

# CONTAINER/POTTED DECIDUOUS TREE DETAIL

N.T.S.

DAYLILIES OR VARIEGATED  
RIBBON GRASSES


SHREDDED HARDWOOD  
BARK MULCH

3/16" X 4" PAINTED  
STEEL EDGING (TYP)

NATIVE GRASSES


12" MIN. PLANT-  
ING SOIL MIX

UNDISTURBED  
EARTH



# PERENNIAL BED PLANTING DETAIL

N.T.S.




3" TYPICAL MULCH AREA

TYPICAL TURF AREA

4 X 4 REDWOOD EDGING MATERIALS

1/2 R-BAR (AS FROST STAKE AND EDGING TIE-DOWNS) - 3'-0" IN LENGTH - INTO EARTH  
R-BAR PLACED 3'-0" ON CENTER



3" SHREDDED HARDWOOD BARK  
TURF AREA (TYPICAL DETAIL)

4 X 4 REDWOOD EDGING MATERIALS

TYPICAL PLANTING AREA SOILS



EXISTING EARTH (NO DISRUPTION AREA)

1/2 R-BAR (AS FROST STAKE AND EDGING TIE-DOWNS) - 3'-0" IN LENGTH - INTO EARTH

## REDWOOD EDGING


SCALE: 1-1/2" = 1'-0"

DETACHABLE TOP



# LECTERN

SCALE:  $\frac{1}{2}'' = 1' - 0''$



PLAN VIEW

SCALE: 1/4" = 1'-0"

ISOMETRIC VIEW


N.T.S.

## MANAGER WORKSTATION

### RECOMMENDED COMPONENTS:


- A 1 - 30"X60" PENINSULA WORK SURFACE (WS)
- B 1 - 24"X24" WS
- C 1 - 48"X48" CORNER WS
- D 1 - 24"X48" WS
- E 2 - 48" OVERHEAD FLIPPER CABINETS
- F 1 - 24" OVERHEAD FLIPPER CABINET
- G 1 - 30" OVERHEAD FLIPPER CABINET
- H 1 - ADJUSTABLE KEYBOARD TRAY
- I 2 - 24" TASK LIGHTS (NOT SHOWN)
- J 2 - 48" TASK LIGHTS (NOT SHOWN)
- K 1 - PENCIL DRAWER (NOT SHOWN)
- L 2 - 3/6/12 STORAGE PEDESTALS (NOT SHOWN)
- M 1 - WHITE MARKER BOARD
- N 1 - ADJUSTABLE T-ARM MGT TASK CHAIR
- O 1 - 48" TACK BOARD (RIGHT OF KEYBOARD TRAY (NOT SHOWN))
- P 1 - 24" TACK BOARD (LEFT OF KEYBOARD TRAY (NOT SHOWN))
- Q 2 - GUEST CHAIRS

42" H. TRANSITION COUNTER



PLAN VIEW

SCALE: 1/4" = 1'-0"




ISOMETRIC VIEW

N.T.S.

## CLERICAL WORKSTATION

### RECOMMENDED COMPONENTS:

- A 2 - 24"X48" WORK SURFACES (WS)
- B 1 - 48"X48" CORNER WS
- C 1 - 48" OVERHEAD FLIPPER CABINET
- D 1 - ADJUSTABLE KEYBOARD TRAY
- E 1 - 24" TASK LIGHT (NOT SHOWN)
- F 1 - 48" TASK LIGHT (NOT SHOWN)
- G 1 - PENCIL DRAWER (NOT SHOWN)
- H 2 - 3/6/12 STORAGE PEDESTALS (NOT SHOWN)
- I 1 - WHITE MARKER BOARD
- J 1 - ADJUSTABLE T-ARM MGT TASK CHAIR
- K 1 - 48" TACK BOARD (RIGHT OF KEYBOARD TRAY (NOT SHOWN))



PLAN VIEW

SCALE:  $1/4" = 1'-0"$

ISOMETRIC VIEW

N.T.S.


## STAFF WORKSTATION

### RECOMMENDED COMPONENTS:


- A 1 – 24"X48" WORK SURFACE (WS)
- B 1 – 24"X24" WS
- C 1 – 48"X48" CORNER WS
- D 1 – 48" OVERHEAD FLIPPER CABINET
- E 1 – 24" OVERHEAD FLIPPER CABINET
- F 1 – ADJUSTABLE KEYBOARD TRAY
- G 1 – 24" TASK LIGHT (NOT SHOWN)
- H 1 – 48" TASK LIGHT (NOT SHOWN)
- I 1 – PENCIL DRAWER (NOT SHOWN)
- J 2 – 3/6/12 STORAGE PEDESTALS (NOT SHOWN)
- K 1 – WHITE MARKER BOARD
- L 1 – ADJUSTABLE T-ARM MGT TASK CHAIR
- M 1 – 48" TACK BOARD (RIGHT OF KEYBOARD TRAY (NOT SHOWN))
- N 1 – 24" TACK BOARD (LEFT OF KEYBOARD TRAY (NOT SHOWN))

### OPTIONAL COMPONENTS:

- O 1 – GUEST CHAIR, SAFE, OR VERTICAL FILE



PLAN VIEW  
SCALE: 1/4" = 1'-0"




ELEVATION VIEW  
N.T.S.


## SHARED WORKSTATION

### RECOMMENDED COMPONENTS


- A 2 - 36"X72" PENINSULA WORK SURFACES (WS)
- B 4 - 24"X30" WS
- C 4 - 36"X36" CORNER WS
- D 4 - 24"X36"WS
- E 6 - 36" OVERHEAD FLIPPER CABINETS
- F 6 - 30" OVERHEAD FLIPPER CABINETS
- G 6 - 24" TASK LIGHTS (NOT SHOWN)
- H 6 - 36" TASK LIGHTS (NOT SHOWN)
- I 4 - PENCIL DRAWERS (NOT SHOWN)
- J 4 - 3/6/12 STORAGE PEDESTALS (NOT SHOWN)
- K 4 - ADJUSTABLE T-ARM MGT TASK CHAIRS
- L 4 - 48" TACK BOARDS (RIGHT OF KEYBOARD TRAYS (NOT SHOWN))
- M 4 - 24" TACK BOARDS (LEFT OF KEYBOARD TRAYS (NOT SHOWN))



ELEVATION  
(FOLDED)



SIDE VIEW



PLAN

# TABLE w/ ATTACHED STOOLS

SCALE:  $1/2'' = 1'-0''$